



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC - Centre Technique Cuir Chaussure Maroquinerie

Parc Scientifique Tony Garnier - 4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Centre Technique Industriel - Loi du 22.07.1948 - Siren 775649726 - Code NAF 911 C - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Professional Training of the 11th of August 1992 and 24th of December 1996,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1032/162/05/10/0214

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : LX7808
- * responsible for placing on the market :

SUZHOU LIOUXIN INDUSTRIAL LTD.
NO.58,SULI ROAD, SUZHOU CITY,JIANGSU PROVINCE
P.R.CHINA

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 21th 2010

Issued by Lionel GAUDILLERE



4, rue Hermann Frenkel
69367 Lyon Cedex 07 - France
Tél. +33(0)4 72 76 10 10 - Fax +33(0)4 72 76 10 00
www.ctcgroupe.com

NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-19 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : LX7808

Basic Model

Dated : May 2010

knitted cotton/polyester glove with natural rubber coated palm & fingers

Available sizes :

8/M

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	grey	PU	10GAUGE	
BACK	white/black/grey	cotton/polyester	10GAUGE	
LINING				
CUFF	white/black/grey	cotton/polyester	10GAUGE	
BINDING	white	polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420 : 2003 - A1 : 2009 - General requirements for gloves and test methods
- * EN 388: 2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60098-10		
Azo	SH60098-10		
EN 388	SH60098-10 SH60230-10		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	2

The levels of performance have been measured on the palm



3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * CE marking
- * reference of the model: LX7808
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:

KOSTA



Ref: LX7808 Size: 8/M

SUZHOU LIOUXIN INDUSTRIAL LTD.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	LX7808
Technical file index	:	01
Last update	:	May 2010

IDENTIFICATION

Reference of the product :	:	LX7808
Technical file index :	:	01
Last update :	:	May 2010

CE Type Examination Applicant :

SUZHOU LIOUXIN INDUSTRIAL LTD.
NO.58,SULI ROAD, SUZHOU CITY,JIANGSU PROVINCE
P.R.CHINA

tel : 0086-512-65629698

fax : 0086-512-62272785

Manufacturer :

SUZHOU LIOUXIN INDUSTRIAL LTD.
NO.58,SULI ROAD, SUZHOU CITY,JIANGSU PROVINCE
P.R.CHINA

tel: 0086-512-65629698

fax: 0086-512-62272785

GLOVE DESCRIPTION

Glove description :

knitted cotton/polyester glove with natural rubber coated palm & fingers

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
240	8/M

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		grey	PU	82g/m2	10GAUGE	
BACK		white/black/grey	cotton/polyester	65g/m2	10GAUGE	
LINING						
CUFF		white/black/grey	cotton/polyester	70g/m2	10GAUGE	
BINDING		white	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 - A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

Directive 2002/61/CE :

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	5
Tear strength resistance	4
Puncture resistance	2

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60098-10		
Azo	SH60098-10		
EN 388	SH60098-10 SH60230-10		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : LX7808

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

PRINTING ON BACK OF GLOVE

Packaging :

12PAIRS/BIG POLYBAG 10DOZS/CARTON

MEANS OF CONTROL

- 1, WE HAVE SEVERAL DEPARTMENT FOR QUALITY CONTROLE. SO WE HAVE GOOD QC TEAM.
- 2, WE BUY GOOD MATERIAL FROM SUPPLIER AND CHECK RAW MATERIAL WELL.
- 3, WE KNIT LINING OURSELVES, AND WE CONTROLE KNITTING LINING WELL. AND THERE ARE MANY PERSONS FOR CHECKING KNITTING LINING, SUCH AS GAUGE, COLOUR, ETC.
- 4, AFTER KNITTING, WE DIP THE DYNEEMA LINING WITH PU, THE PRODUCTION LINE IS AUTOMATIC AND IT IS OF HIGH QUALITY MACHINE.
- 5, AFTER DIPPING, PERSON TAKE THE BAD QUALITY OUT, AND THEN THEY STAMP ON GLOVE.
- 6, AFTER ALL , PERSON WILL CHECK AGAIN THE STAMPT.
- 7, PERSONS PACK GLOVE IN POLYBAG AND CARTON.

INSTRUCTION FOR USE

SUZHOU LIOUXIN INDUSTRIAL LTD.

NO.58,SULI ROAD, SUZHOU CITY,JIANGSU PROVINCE

CHINA

Glove reference : LX7808

Available sizes : 8/M

Glove description :

knitted cotton/polyester glove with natural rubber coated palm & fingers

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



4542

Levels of performance

Abrasion resistance	4
Blade cut resistance	5
Tear resistance	4
Puncture resistance	2

Protection limit :

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.